



Burettes

GI-3229 BURETTES FOR PINCHCOCK, WITH TIP CLASS B

ITEM CODE	Capacity MI.	Graduation Intervals ml	Tolerance $\pm$ ml.	Height mm	Qty Per Case
GI-3229/06	10	0.05	0.05	430	8
GI-3229/10	25	0.1	0.1	470	8
GI-3229/13	50	0.1	0.1	720	8



GI-3232 BURETTES ROTAFLO, FITTED WITH ROTAFLO GP (GENERAL PURPOSE) SCREW THREAD STOPCOCKS WITH PTFE KEYS, Class A

ITEM CODE	Capacity MI.	Graduation Intervals ml	Tolerance $\pm$ ml	Qty Per Case
GI-3232/06	10	0.05	0.02	4
GI-3232/10	25	0.1	0.05	4
GI-3232/13	50	0.1	0.05	4
GI-3232/15	100	0.02	0.1	4



GI-3233 BURETTES ROTAFLO, FITTED WITH ROTAFLO GP (GENERAL PURPOSE) SCREW THREAD STOPCOCKS WITH PTFE KEYS, Class B

ITEM CODE	Capacity ML.	Graduation Intervals ml	Tolerance ±ml	Qty per case
GI-3233/06	10	0.05	0.05	4
GI-3233/10	25	0.1	0.1	4
GI-3233/13	50	0.1	0.1	4
GI-3233/15	100	0.2	0.2	4



GI-3234 BURETTES
STRAIGHT BORE STOPCOCK, CLASS A

ITEM CODE	Capacity MI.	Graduation Intervals ml	Tolerance $\pm$ ml	Height mm	Qty per case
GI-3234/01	1*	0.01	0.006	440	4
GI-3234/03	+2*	0.02	0.01	440	4
GI-3234/05	5*	0.02	0.01	590	4
GI-3234/06	10	0.05	0.02	530	4
GI-3234/10	25	0.1	0.05	530	4
GI-3234/13	50	0.1	0.05	780	4
GI-3234/15	100	0.2	0.1	830	4

* with cup top

+ not covered in I.S.



GI-3235 BURETTES
DOUBLE OBLIQUE BORE STOPCOCK, 3 - WAY CLASS b

ITEM CODE	Capacity MI.	Graduation Intervals ml	Tolerance $\pm$ ml	Height mm	Qty per case
GI-3235/01	1*	0.01	0.01	440	6
GI-3235/03	2*	0.02	0.02	440	6
GI-3235/05	5*	0.02	0.02	590	4
GI-3235/06	10	0.05	0.05	530	4
GI-3235/10	25	0.1	0.1	530	4
GI-3235/13	50	0.1	0.1	780	4
GI-3235/15	100	0.2	0.2	830	4

* with cup top



GI-3236 BURETTES
DOUBLE OBLIQUE BORE STOPCOCK, 3 - WAY CLASS A

ITEM CODE	Capacity MI.	Graduation Intervals ml	Tolerance $\pm$ ml.	Height mm	Qty per case
GI-3236/06	10	0.05	0.02	530	2
GI-3236/10	25	0.1	0.05	530	2
GI-3236/13	50	0.1	0.05	780	2
GI-3236/15	100	0.2	0.1	830	2



GI-3237 BURETTES
DOUBLE OBLIQUE BORE STOPCOCK, 3 - WAY CLASS B

ITEM CODE	Capacity MI.	Graduation Intervals ml	Tolerance $\pm$ ml.	Height mm	Qty per case
GI-3237/06	10	0.05	0.05	530	2
GI-3237/10	25	0.1	0.1	530	2
GI-3237/13	50	0.1	0.1	780	2
GI-3237/15	100	0.2	0.2	830	2



GI-3238 BURETTES
DOUBLE OBLIQUE BORE ROTAFLO STOPCOCK 3 - WAY CLASS A

ITEM CODE	Capacity MI.	Graduation Intervals ml	Tolerance $\pm$ ml.	Height mm	Qty per case
GI-3238/06	10	0.05	0.02	530	2
GI-3238/10	25	0.1	0.05	530	2
GI-3238/13	50	0.1	0.05	780	2
GI-3238/15	100	0.2	0.1	830	2



ITEM CODE	Capacity MI.	Graduation Intervals ml	Tolerance $\pm$ ml.	Height mm	Qty per case
GI-3239/06	10	0.05	0.05	530	2
GI-3239/10	25	0.1	0.1	530	2
GI-3239/13	50	0.1	0.1	780	2
GI-3239/15	100	0.2	0.2	830	2



GI-3230 BURETTES
STRAIGHT BORE PTFE KEY STOPCOCK CLASS A

ITEM CODE	Capacity MI.	Graduation Intervals ml	Tolerance $\pm$ ml.	Height mm	Qty per case
GI-3230/13	50	0.1	0.05	780	4



GI-3241 BURETTES
STRAIGHT BORE PTFE KEY STOPCOCK CLASS B

ITEM CODE	Capacity MI.	Graduation Intervals ml	Tolerance $\pm$ ml.	Height mm	Qty per case
GI-3241/13	50	0.1	0.1	780	4



ITEM CODE	Capacity Ml.	Graduation Intervals ml	Tolerance ±ml.	Height mm	Qty per case
GI-3256/06	10	0.05	0.02	530	1
GI-3256/10	25	0.1	0.05	530	1
GI-3256/13	50	0.1	0.05	780	1



GI-3257 BURETTES

DOUBLE OBLIQUE BORE ROTAFLO STOPCOCK 3 - WAY AUTOMATIC ZERO CLASS B

ITEM CODE	Capacity Ml.	Graduation Intervals ml	Tolerance ±ml.	Height mm	Qty per case
GI-3257/06	10	0.05	0.05	530	1
GI-3257/10	25	0.1	0.1	530	1
GI-3257/13	50	0.1	0.1	780	1



GI-3258 BURETTES

DOUBLE OBLIQUE BORE STOPCOCK, 3 - WAY AUTOMATIC ZERO ACCURACY CLASS A.

ITEM CODE	Capacity Ml.	Graduation Intervals ml	Tolerance ±ml.	Height mm	Qty per case
GI-3258/06	10	0.05	0.02	530	1
GI-3258/10	25	0.1	0.05	530	1
GI-3258/13	50	0.1	0.05	780	1



GI-3259 BURETTES

DOUBLE OBLIQUE BORE STOPCOCK, 3 - WAY AUTOMATIC ZERO ACCURACY CLASS B.

ITEM CODE	Capacity MI.	Graduation Intervals ml	Tolerance $\pm$ ml.	Height mm	Qty per case
GI-3259/06	10	0.05	0.05	530	1
GI-3259/10	25	0.1	0.1	530	1
GI-3259/13	50	0.1	0.1	780	1



GI-3250 BURETTES
AUTOMATIC ZERO, MOUNTED ON RESERVOIR CLASS A.

ITEM CODE	Capacity MI.	Graduation Intervals ml	Tolerance $\pm$ ml.	Qty per case
GI-3250/06	10	0.05	0.02	1
GI-3250/10	25	0.1	0.05	1
GI-3250/13	50	0.1	0.05	1
GI-3250/15	100	0.2	0.1	1



Reservoir Capacity :
500 ml. for 10 ml. size and 2000 ml. for 25, 50 and 100 ml. sizes.

GI-3261 BURETTES
AUTOMATIC ZERO, MOUNTED ON RESERVOIR CLASS B.

ITEM CODE	Capacity MI.	Graduation Intervals ml	Tolerance $\pm$ ml.	Qty per case
GI-3261/06	10	0.05	0.05	1
GI-3261/10	25	0.1	0.1	1
GI-3261/13	50	0.1	0.1	1
GI-3261/15	100	0.2	0.2	1



Reservoir Capacity :
500 ml. for 10 ml size and 200 ml for 25, 50 and 100 ml. sizes.