

Industrial Glass - [Pipeline Components](#)- Pipe Section

DN	25	40	50
L	Cat.Ref.	Cat.Ref.	Cat.Ref.
100	PS1/100*	PS1.5/100	PS2/100
150	PS1/150*	PS1.5/150*	PS2/150*
200	PS1/200*	PS1.5/200	PS2/200
250	PS1/250	PS1.5/250	PS2/250
300	PS1/300*	PS1.5/300*	PS2/300*
400	PS1/400	PS1.5/400	PS2/400
500	PS1/500*	PS1.5/500*	PS2/500
600	PS1/600	PS1.5/600	PS2/600
750	PS1/750	PS1.5/750	PS2/750
900	PS1/900	PS1.5/900	PS2/900
1000	PS1/1000*	PS1.5/1000*	PS2/1000*



DN	80	100	150
L	Cat.Ref.	Cat.Ref.	Cat.Ref.
150	PS3/150*	PS4/150	PS6/150
200	PS3/200	PS4/200	PS6/200
250	PS3/250*	PS4/250*	PS6/250*
300	PS3/300	PS4/300	PS6/300*
400	PS3/400	PS4/400	PS6/400
500	PS3/500	PS4/500	PS6/500
600	PS3/600*	PS4/600*	PS6/600
750	PS3/750	PS4/750	PS6/750
900	PS3/900	PS4/900	PS6/900
1000	PS3/1000*	PS4/1000*	PS6/1000*

DN	225	300
L	Cat.Ref.	Cat.Ref.
300	PS9/300*	PS12/300
400	PS9/400	PS12/400*
500	PS9/500	PS12/500
600	PS9/600	PS12/600
750	PS9/750	PS12/750
900	PS9/900	PS12/900
1000	PS9/1000*	PS12/1000*
1200	PS9/1200	PS12/1200
1500	PS9/1500	PS12/1500




DN	400	450	600/800
L	Cat.Ref.	Cat.Ref.	Cat.Ref.
300	PS16/300	PS18/300	PS32/500
500	PS16/500	PS18/500	PS24/500
750	PS16/750	PS18/750	PS32/1000
1000	PS16/1000*	PS18/1000*	PS24/1000*
1200	PS16/1200	PS18/1200	PS32/1500
1500	PS16/1500	PS18/1500	PS24/1500

SPACERS


Spacers are used to make-up small increments in length.

DN	Type	25	40	50
L		Cat.Ref.	Cat.Ref.	Cat.Ref.
5	A	SS1/5	SS1.5/5	SS2/5
15	A	SS1/15	SS1.5/15	SS2/15
25	A	SS1/25	SS1.5/25	SS2/25
50	B	SS1/50	SS1.5/50	SS2/50



PTFE SPACERS

DN	25	40	50
L	Cat.Ref.	Cat.Ref.	Cat.Ref.
5	SST1/5*	SST1.5/5*	SST2/5*
10	SST1/10*	SST1.5/10*	SST2/10*
15	SST1/15*	SST1.5/15*	SST2/15*
20	SST1/20*	SST1.5/20*	SST2/20*



* marked items are available fast.

